


Chapter 2  
Numbers & Indices



.If a and b are any two integers, then,  $(a \div b)$  or  $(b \div a)$  is not necessarily an integer. Thus closure property does not hold good for the division of integers.

Hence to establish the operation (DIVISION) ,we are to extend the number system once more and thus we introduce the fraction together with the integers. The new set of numbers is known as RATIONAL NUMBERS.

**RATIONAL NUMBER**

Any number that can be put into the form of  $\frac{p}{q}$  such that

1. p and q are integers
2. p and q are prime to each other and also, known as co-primes
3.  $q \neq 0$   
is known as a RATIONAL NUMBER.

### SOME OBSERVATIONS

Any integer 'a' may be written as  $\frac{a}{1}$ . Hence the condition of a rational number is satisfied.

For the number  $\frac{22}{7}$  we find

- 1) 22 and 7 are integers
- 2). 22 and 7 are prime to each other (i.e., they do not have any common factor other than 1)
- 3).  $7 \neq 0$

Therefore, it is a RATIONAL NUMBER

Can you tell whether  $\frac{4}{8}$  or 0.25 is a RATIONAL NUMBER or not?

In fact, if we represent a RATIONAL NUMBER in terms of DECIMALS, we get the number as either a terminating DECIMAL or a recurring DECIMAL.

### **PROPERTIES OF RATIONAL NUMBERS**

All natural numbers, whole numbers, integers and fractions are RATIONAL NUMBERS.

If a, b and c are any three rational numbers then

#### **1. Commutative Property**

If a and b are any two integers, then

- i)  $a + b = b + a$
- ii)  $a \times b = b \times a$

#### **2. Associative Property**

If a, b and c are any three integers, then

- i)  $(a + b) + c = a + (b + c)$
- ii)  $(a \times b) \times c = a \times (b \times c)$

#### **3. Property of Identity**

If a is an integer, then

- i) 0 is the additive identity  
i.e  $a + 0 = 0 + a = a$
- ii) 1 is the multiplicative identity  
i.e  $a \times 1 = 1 \times a = a$

**4. Property of Inverse**

- i) For any RATIONAL NUMBER 'a', '-a' is the additive inverse,  
i.e.,  $a + (-a) = (-a) + a = 0$
- ii) For any RATIONAL NUMBER 'a',  $\frac{1}{a}$  is the multiplicative inverse,  
i.e.,  $a \times \frac{1}{a} = \frac{1}{a} \times a = 1$

**5. Distributive Property:**

If a, b and c are any three integers, then

- i)  $a \times (b + c) = a \times b + a \times c$  [left distributive property]
- ii)  $(b + c) \times a = b \times a + c \times a$  [right distributive property]

**REPRESENTATION OF RATIONAL NUMBERS ON NUMBER LINE:**

Like natural numbers and integers, rational numbers can also be represented on number line. All positive rational number are plotted on the right side of zero and all negative rational number are plotted on the left side of zero on the number line .

**Example**


**Represent each of the following on the number line .**

- i)  $\frac{5}{7}$
- ii)  $-\frac{14}{3}$

**Solution**


i) The given number is  $\frac{5}{7}$  which lies between 0 and 1 in the positive direction of the number line.

∴ Distance between 0 and 1 is divided into 7 equal parts and the third point represent  $\frac{5}{7}$  on number line as shown below.



ii) The given number is  $-\frac{14}{3} = -4\frac{2}{3}$  lies between -5 and -4

∴ Distance between -5 and -4 is to be divided into 3 equidistant parts.



**Introduction to Indices**

A power, or an index, is used to write a product of numbers very compactly. The plural of index is indices.

The following states a number of rules, or laws, which can be used to simplify expressions involving indices.

**1. Powers or indices**

The expression  $3 \times 3 \times 3 \times 3$  can be written as  $3^4$ .

We read this as ‘**three to the power four**’.

[To know more, register for EDUINFINITE Classes](#)